

h



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/650,800	08/30/2000	Paul S. Neuman	RA 5290(33012/289/101)	1186

27516 7590 06/17/2004

UNISYS CORPORATION  
MS 4773  
PO BOX 64942  
ST. PAUL, MN 55164-0942

EXAMINER

VITAL, PIERRE M

ART UNIT	PAPER NUMBER
----------	--------------

2188

DATE MAILED: 06/17/2004

11

Please find below and/or attached an Office communication concerning this application or proceeding.

h

## Office Action Summary

Application No.

09/650,800

Applicant(s)

NEUMAN, PAUL S.

Examiner

Pierre M. Vital

Art Unit

2188

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

### Status

- 1) ☒ Responsive to communication(s) filed on 11 March 2004.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

### Disposition of Claims

- 4) ☒ Claim(s) 1-25 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-25 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 30 August 2000 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

### Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some \* c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
  - ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

### Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)  
Paper No(s)/Mail Date \_\_\_\_\_
- 4) ☐ Interview Summary (PTO-413)  
Paper No(s)/Mail Date. \_\_\_\_\_
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: \_\_\_\_\_

## **DETAILED ACTION**

### ***Response to Amendment***

1. This Office Action is in response to applicant's communication filed March 11, 2004 in response to PTO Office Action mailed December 8, 2003. The Applicant's remarks and amendments to the claims and/or the specification were considered with the results that follow.
2. Claims 1-25 have been presented for examination in this application. In response to the last Office Action, claims 1, 6, 11 and 16-20 have been amended. No claims have been canceled. Claims 21-25 have been added. As a result, claims 1-25 are now pending in this application.

### ***Response to Arguments***

3. Applicant's arguments, see Paper No 10, filed March 11, 2004, with respect to the rejection(s) of claim(s) 1, 6, 11 and 16 under 35 USC 102(e) and 35 USC 103(a) have been fully considered and are persuasive. Therefore, the rejection has been withdrawn due to the amendment filed March 11, 2004. However, upon further consideration, a new ground(s) of rejection is made in view of the newly cited reference(s).
4. Applicant's arguments with respect to claims 1-25 have been considered but are moot in view of the new ground(s) of rejection.

5. As to the remarks, Applicant asserted that:

- (a) As per claims 5, 10, 15 and 20, Hazawa shows only one cache memory unit (i.e., cache memory unit 2).

Examiner respectfully traverses applicant's arguments for the following reasons.

Examiner would like to point out that the cache memory unit 2 disclosed in Hazawa is a multilevel cache memory comprising levels "0" to "3" (i.e., cache memory 3 in the Figs.). Thus, it can be clearly seen that the combination of Hazawa with the other references does disclose the elements of the claimed invention.

- (b) Pong and Lynch show no parity checking facility.

In response to applicant's argument that the references fail to show certain features of applicant's invention, it is noted that the features upon which applicant relies (i.e., a parity checking facility) are not recited in rejected claim(s) 5, 10, 15 and 20. Although the claims are interpreted in light of the specification, limitations from the specification are not read into the claims. See *In re Van Geuns*, 988 F.2d 1181, 26 USPQ2d 1057 (Fed. Cir. 1993).

Examiner would suggest that applicant amends the claims to more clearly point out the subject matter which applicant views as his invention.

***Claim Rejections - 35 USC § 102***

6. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

7. Claims 11, 14, 16 and 19 are rejected under 35 U.S.C. 102(b) as being anticipated by Lai (US5,564,035).

As per claim 11, Lai discloses a method of maintaining validity of data within a level one cache memory of a processor responsively coupled to a level two cache memory which is responsively coupled to a system memory bus [*L1 cache 202, L2 cache 203, system bus 208; Fig. 3*] comprising: formulating a write request [*processor 210 performs a write to memory; col. 2, lines 48-49*]; first experiencing a level one cache memory hit in response to said write memory request [*hit in L1 cache 202; col. 2, lines 48-52*]; second experiencing a level two cache memory hit in response to said first experiencing step [*L2 cache 203 detects a hit; col. 2, lines 48-49*]; and invalidating a portion of said level one cache memory corresponding to said write memory request in response to said second experiencing step [*hit in L1 cache corresponding cache line can be invalidated; col. 2, lines 52-57*].

As per claim 14, Lai discloses recording location of data in response to a level one cache read miss and a level two cache memory read miss to maintain multiprocessor coherency [*col. 6, line 45 – col. 7, line 11*].

As per claim 16, Lai discloses an apparatus comprising:

executing means for executing program instructions [*processor 200, 210; Fig. 3*]; level one caching means responsively coupled to said executing means for level one caching data [*L1 cache 202; Fig. 3*]; accessing means responsively coupled to said executing means and said level one caching means for accessing a data element if said executing means requires accessing of said data element [*system bus 208; Fig. 3*]; level two caching means responsively coupled to said requesting means for level two caching data [*L2 cache 203; Fig. 3*]; and first invalidating means responsively coupled to said level one caching means for invalidating said data element if said data element is a write data element located within said level two caching means and within said level one caching means [*hit in L2 cache and hit in L1 cache, corresponding cache line can be invalidated; col. 2, lines 52-57*].

As per claim 19, Lai discloses recording location of data in response to a level one cache read miss and a level two cache memory read miss to maintain multiprocessor coherency [*col. 6, line 45 – col. 7, line 11*].

***Claim Rejections - 35 USC § 103***

8. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

9. Claim 1 is rejected under 35 U.S.C. 103(a) as being unpatentable over Pong et al. (US6,253,291) and Lai (US5,564,035).

As per claim 1, Pong discloses a data processing system having a system bus and having a processor [*system bus 18; processors 22, 42, 62, 82, 102, 132; Figs. 2-7*], with a level one cache memory [*L1 caches 32, 52, 74, 92, 114, 138; Figs. 2-7*], responsively coupled to a level two cache memory [*L2 caches 34, 54, 72, 94, 112, 140; Figs. 2-7*], which is responsively coupled to a level three cache memory which is directly coupled to at least one memory storage [*L3 caches 28, 68, 88, 108 inherently coupled to main memory through system bus 18; Figs. 2-7*]; and having a circuit for Snooping said system bus [*snoop queues 24, 44, 64, 84, 104; Figs. 2-7*].

However, Pong does not specifically teach first logic which invalidates a corresponding level one cache memory location in response to either a non-local write as recited in the claim.

Lai discloses invalidating a corresponding level one cache memory location in response to a non-local write [*when second processor performs write to memory, hit in L1 cache, corresponding cache line can be invalidated; col. 2, lines 41-57*] to maintain multiprocessor coherency. Since the technology for implementing invalidating a corresponding level

Art Unit: 2188

one cache memory location in response to a non-local write was well known and since invalidating a corresponding level one cache memory location in response to a non-local write maintains multiprocessor coherency, an artisan would have been motivated to implement invalidating a corresponding level one cache memory location in response to a non-local write in the system of Pong. Thus, It would have been obvious to one of ordinary skill in the art, at the time the invention was made, to modify the system of Pong to include invalidating a corresponding level one cache memory location in response to a non-local write because it was well known to maintain multiprocessor coherency as taught by Lai.

10. Claims 2-4 are rejected under 35 U.S.C. 103(a) as being unpatentable over Pong et al. (US6,253,291) and Lai (US5,564,035) and Lynch et al. (US6,061,766).

As per claim 2, the combination of Pong and Lai does not specifically teach a second logic which inhibits said first logic from invalidating for mode 3 requests without ownership as recited in the claim.

Lynch discloses a second logic which inhibits said first logic from invalidating for mode 3 requests without ownership [*snoop requests checks for the presence of an object in cache; only requests for exclusive use which match cache tags are invalidated; there is no invalidate done when there is no hit*; Fig. 4; col. 4, lines 19-30; *it is clearly obvious that any computer system uses a combination of logic to produce output based on the rules of logic it is designed to follow*; clearly,



*the use of multiple logics is an inherent feature of any computer system]* to provide a snoop process for ensuring cache coherency (col. 2, lines 34).

Since the technology for implementing inhibiting a logic from invalidating mode 3 requests without ownership was well known and since inhibiting invalidating mode 3 requests without ownership provides a snoop process for ensuring cache coherency, an artisan would have been motivated to implement inhibiting invalidating mode 3 requests without ownership in the system of Pong and Lai. Thus, it would have been obvious to one of ordinary skill in the art, having the teachings of Pong and Lai and Lynch before him at the time the invention was made, to modify the system of Pong and Lai to include implementing inhibiting a logic from invalidating mode 3 requests without ownership because it was well known to provide a snoop process for ensuring cache coherency as taught by Lynch.

As per claim 3, the combination of Pong and Lai does not specifically teach third logic which invalidates said corresponding cache memory location in response to a SNOOP hit as recited in the claim.

Lynch discloses invalidating a corresponding cache memory location in response to a SNOOP hit [Fig. 4; col. 4, lines 24-26; *it is clearly obvious that any computer system uses a combination of logic to produce output based on the rules of logic it is designed to follow; clearly, the use of multiple logics is an inherent feature of any computer system]* to provide a snoop process for ensuring cache coherency (col. 2, lines 34).

Since the technology for implementing invalidating a corresponding cache memory location in response to a SNOOP hit was well known and since invalidating a corresponding cache memory location in response to a SNOOP hit provides a snoop process for ensuring cache coherency, an artisan would have been motivated to implement invalidating a corresponding cache memory location in response to a SNOOP hit in the system of Pong and Lai. Thus, it would have been obvious to one of ordinary skill in the art, having the teachings of Pong and Lai and Lynch before him at the time the invention was made, to modify the system of Pong and Lai to include invalidating a corresponding cache memory location in response to a SNOOP hit because it was well known to provide a snoop process for ensuring cache coherency as taught by Lynch.

As per claim 4, Pong does not specifically teach fourth logic which records location of data in response to a level one cache read miss and a level two cache memory read miss as recited in the claim.

Lai discloses recording location of data in response to a level one cache read miss and a level two cache memory read miss to maintain multiprocessor coherency (col. 6, line 45 – col. 7, line 11). Since the technology for implementing recording location of data in response to a level one cache read miss and a level two cache memory read miss was well known and since recording location of data in response to a level one cache read miss and a level two cache memory read miss maintains multiprocessor coherency, an artisan would have been motivated to implement

recording location of data in response to a level one cache read miss and a level two cache memory read miss in the system of Pong. Thus, It would have been obvious to one of ordinary skill in the art, at the time the invention was made, to modify the system of Pong to include recording location of data in response to a level one cache read miss and a level two cache memory read miss because it was well known to maintain multiprocessor coherency as taught by Lai.

11. Claim 5 is rejected under 35 U.S.C. 103(a) as being unpatentable over Pong et al. (US6,253,291) and Lai (US5,564,035) and Hazawa (US4,891,809).

As per claim 5, the combination of Pong and Lai and Lynch discloses the claimed invention as detailed above in the previous paragraphs. However, Pong and Lai and Lynch do not specifically teach invalidating a level one cache memory in response to a level two cache memory generating a parity error as recited in the claim.

Hazawa discloses invalidating a level one cache memory in response to a level two cache memory generating a parity error [col.3, lines 38-48].

It would have been obvious to one of ordinary skill in the art, having the teachings of Pong and Lynch and Hazawa before him at the time the invention was made, to modify the system of Pong and Lynch to include invalidating a level one cache memory in response to a level two cache memory generating a parity error because it was well known to provide a cache memory having a normal error checking mode as

taught by Hazawa by the provision of a sequential verification logic circuit for generating error indicating signals in sequence within the cache memory unit [col. 1, lines 30-37] as taught y Hazawa.

12. Claim 6 is rejected under 35 U.S.C. 103(a) as being unpatentable over Pong et al. (US6,253,291) and Lai (US5,564,035).

As per claim 6, Pong discloses a data processing system comprising a level one cache memory [*L1 caches 32, 52, 74, 92, 114, 138*; Figs. 2-7]; a level two cache memory responsively coupled to said level one cache memory [*L2 caches 34, 54, 72, 94, 112, 140*; Figs. 2-7]; a system bus [*system bus 18*; Figs. 2-7]; a memory storage unit [*main memory*; col. 4, lines 19-22]; a level three memory responsively coupled to said level two cache memory via said system bus and responsively coupled to said memory storage unit [*L3 caches 28, 68, 88, 108 inherently coupled to main memory through system bus 18*; Figs. 2-7].

However, Pong does not specifically teach a first circuit to invalidate a corresponding portion of said level one cache memory in response to a level one cache memory write hit and a level two cache memory hit as recited in the claim.

Lai discloses a first circuit to invalidate a corresponding portion of said level one cache memory in response to a level one cache memory write hit and a level two cache memory hit [*hit in L2 cache and hit in L1 cache, corresponding cache line can be invalidated*; col. 2, lines 41-57] to maintain multiprocessor coherency.

Since the technology for implementing invalidating a corresponding level one cache memory location in response to a level one write hit and a level two write hit was well known and since invalidating a corresponding level one cache memory location in response to a level one write hit and a level two write hit maintains multiprocessor coherency, an artisan would have been motivated to implement invalidating a corresponding level one cache memory location in response to a level one write hit and a level two write hit in the system of Pong. Thus, It would have been obvious to one of ordinary skill in the art, at the time the invention was made, to modify the system of Pong to include invalidating a corresponding level one cache memory location in response to a level one write hit and a level two write hit because it was well known to maintain multiprocessor coherency as taught by Lai.

As per claim 9, Pong does not specifically teach fourth logic which records location of data in response to a level one cache read miss and a level two cache memory read miss as recited in the claim.

Lai discloses recording location of data in response to a level one cache read miss and a level two cache memory read miss to maintain multiprocessor coherency (col. 6, line 45 – col. 7, line 11). Since the technology for implementing recording location of data in response to a level one cache read miss and a level two cache memory read miss was well known and since recording location of data in response to a level one cache read miss and a level two cache memory read miss maintains multiprocessor coherency, an artisan would have been motivated to implement

recording location of data in response to a level one cache read miss and a level two cache memory read miss in the system of Pong. Thus, It would have been obvious to one of ordinary skill in the art, at the time the invention was made, to modify the system of Pong to include recording location of data in response to a level one cache read miss and a level two cache memory read miss because it was well known to maintain multiprocessor coherency as taught by Lai.

13. Claims 7 and 8 are rejected under 35 U.S.C. 103(a) as being unpatentable over Pong et al. (US6,253,291) and Lai (US5,564,035) and Lynch et al. (US6,061,766).

As per claim 7, the combination of Pong and Lai does not specifically teach a second logic which inhibits said first logic from invalidating for mode 3 requests without ownership as recited in the claim.

Lynch discloses a second logic which inhibits said first logic from invalidating for mode 3 requests without ownership [*snoop requests checks for the presence of an object in cache; only requests for exclusive use which match cache tags are invalidated; there is no invalidate done when there is no hit; Fig. 4; col. 4, lines 19-30; it is clearly obvious that any computer system uses a combination of logic to produce output based on the rules of logic it is designed to follow; clearly, the use of multiple logics is an inherent feature of any computer system*] to provide a snoop process for ensuring cache coherency (col. 2, lines 34).

Since the technology for implementing inhibiting a logic from invalidating mode 3 requests without ownership was well known and since inhibiting invalidating mode 3 requests without ownership provides a snoop process for ensuring cache coherency, an artisan would have been motivated to implement inhibiting invalidating mode 3 requests without ownership in the system of Pong and Lai. Thus, it would have been obvious to one of ordinary skill in the art, having the teachings of Pong and Lai and Lynch before him at the time the invention was made, to modify the system of Pong and Lai to include implementing inhibiting a logic from invalidating mode 3 requests without ownership because it was well known to provide a snoop process for ensuring cache coherency as taught by Lynch.

As per claim 8, the combination of Pong and Lai does not specifically teach third logic which invalidates said corresponding cache memory location in response to a SNOOP hit as recited in the claim.

Lynch discloses invalidating a corresponding cache memory location in response to a SNOOP hit [Fig. 4; col. 4, lines 24-26; *it is clearly obvious that any computer system uses a combination of logic to produce output based on the rules of logic it is designed to follow; clearly, the use of multiple logics is an inherent feature of any computer system*] to provide a snoop process for ensuring cache coherency (col. 2, lines 34).

Since the technology for implementing invalidating a corresponding cache memory location in response to a SNOOP hit was well known and since invalidating a corresponding cache memory location in response to a SNOOP hit provides a snoop

Art Unit: 2188

process for ensuring cache coherency, an artisan would have been motivated to implement invalidating a corresponding cache memory location in response to a SNOOP hit in the system of Pong and Lai. Thus, it would have been obvious to one of ordinary skill in the art, having the teachings of Pong and Lai and Lynch before him at the time the invention was made, to modify the system of Pong and Lai to include invalidating a corresponding cache memory location in response to a SNOOP hit because it was well known to provide a snoop process for ensuring cache coherency as taught by Lynch.

14. Claim 10 is rejected under 35 U.S.C. 103(a) as being unpatentable over Pong et al. (US6,253,291) and Lai (US5,564,035) and Hazawa (US4,891,809).

As per claim 10, the combination of Pong and Lai and Lynch discloses the claimed invention as detailed above in the previous paragraphs. However, Pong and Lai and Lynch do not specifically teach invalidating a level one cache memory in response to a level two cache memory generating a parity error as recited in the claim.

Hazawa discloses invalidating a level one cache memory in response to a level two cache memory generating a parity error [col.3, lines 38-48].

It would have been obvious to one of ordinary skill in the art, having the teachings of Pong and Lynch and Hazawa before him at the time the invention was made, to modify the system of Pong and Lynch to include invalidating a level one cache



memory in response to a level two cache memory generating a parity error because it was well known to provide a cache memory having a normal error checking mode as taught by Hazawa by the provision of a sequential verification logic circuit for generating error indicating signals in sequence within the cache memory unit [col. 1, lines 30-37] as taught y Hazawa.

15. Claims 12-13 and 17-18 are rejected under 35 U.S.C. 103(a) as being unpatentable over Lai (US5,564,035) and Lynch et al. (US6,061,766).

As per claims 12 and 17, Lai does not specifically teach a second logic which inhibits said first logic from invalidating for mode 3 requests without ownership as recited in the claim.

Lynch discloses a second logic which inhibits said first logic from invalidating for mode 3 requests without ownership [*snoop requests checks for the presence of an object in cache; only requests for exclusive use which match cache tags are invalidated; there is no invalidate done when there is no hit*; Fig. 4; col. 4, lines 19-30; *it is clearly obvious that any computer system uses a combination of logic to produce output based on the rules of logic it is designed to follow; clearly, the use of multiple logics is an inherent feature of any computer system*] to provide a snoop process for ensuring cache coherency (col. 2, lines 34).

Since the technology for implementing inhibiting a logic from invalidating mode 3 requests without ownership was well known and since inhibiting invalidating mode 3

requests without ownership provides a snoop process for ensuring cache coherency, an artisan would have been motivated to implement inhibiting invalidating mode 3 requests without ownership in the system of Lai. Thus, it would have been obvious to one of ordinary skill in the art, having the teachings of Lai and Lynch before him at the time the invention was made, to modify the system of Lai to include implementing inhibiting a logic from invalidating mode 3 requests without ownership because it was well known to provide a snoop process for ensuring cache coherency as taught by Lynch.

As per claims 13 and 18, the combination of Lai does not specifically teach third logic which invalidates said corresponding cache memory location in response to a SNOOP hit as recited in the claim.

Lynch discloses invalidating a corresponding cache memory location in response to a SNOOP hit [Fig. 4; col. 4, lines 24-26; *it is clearly obvious that any computer system uses a combination of logic to produce output based on the rules of logic it is designed to follow; clearly, the use of multiple logics is an inherent feature of any computer system*] to provide a snoop process for ensuring cache coherency (col. 2, lines 34).

Since the technology for implementing invalidating a corresponding cache memory location in response to a SNOOP hit was well known and since invalidating a corresponding cache memory location in response to a SNOOP hit provides a snoop process for ensuring cache coherency, an artisan would have been motivated to implement invalidating a corresponding cache memory location in response to a SNOOP hit in the system of Lai. Thus, it would have been obvious to one of ordinary

Art Unit: 2188

skill in the art, having the teachings of Lai and Lynch before him at the time the invention was made, to modify the system of Lai to include invalidating a corresponding cache memory location in response to a SNOOP hit because it was well known to provide a snoop process for ensuring cache coherency as taught by Lynch.

16. Claims 15 and 20 are rejected under 35 U.S.C. 103(a) as being unpatentable over Lai (US5,564,035) and Hazawa (US4,891,809).

As per claims 15 and 20, the combination of Lai and Lynch discloses the claimed invention as detailed above in the previous paragraphs. However, Lai and Lynch do not specifically teach invalidating a level one cache memory in response to a level two cache memory generating a parity error as recited in the claim.

Hazawa discloses invalidating a level one cache memory in response to a level two cache memory generating a parity error [col.3, lines 38-48].

It would have been obvious to one of ordinary skill in the art, having the teachings of Lai and Hazawa before him at the time the invention was made, to modify the system of Lai to include invalidating a level one cache memory in response to a level two cache memory generating a parity error because it was well known to provide a cache memory having a normal error checking mode as taught by Hazawa by the provision of a sequential verification logic circuit for generating error indicating signals in sequence within the cache memory unit [col. 1, lines 30-37] as taught y Hazawa.

17. Claim 21 is rejected under 35 U.S.C. 103(a) as being unpatentable over Pong et al. (US6,253,291) and Hazawa (US4,891,809).

As per claim 21, Pong discloses an instruction processor [*processor 26*; Fig. 2]; a level one cache memory directly coupled to said instruction processor [*L1 cache 32*; Fig. 2]; a level two cache memory directly coupled to said level one cache memory [*L2 cache 34*; Fig. 2].

However, Pong does not specifically teach a data element having a parity error stored in said level two cache memory and a facility responsively coupled to said level one cache memory and said level two cache memory which detects said parity error of said data element and invalidates a corresponding data element within said level two cache memory as recited in the claim.

Hazawa discloses invalidating data in a level two cache memory in response to a parity error of a data element to provide a cache memory with an error checking mode [col.3, lines 38-51; col. 3, lines 38-59].

It would have been obvious to one of ordinary skill in the art, having the teachings of Pong and Lynch and Hazawa before him at the time the invention was made, to modify the system of Pong and Lynch to include invalidating data in a level two cache memory in response to a parity error of a data element because it was well known to provide a cache memory having a normal error checking mode as taught by Hazawa.

18. Claim 22 is rejected under 35 U.S.C. 103(a) as being unpatentable over Pong et al. (US6,253,291) and Hazawa (US4,891,809) and Lynch et al (US6,061,766).

As per claim 22, the combination of Pong and Hazawa discloses the claimed invention as detailed above in the previous paragraphs. However, Pong and Hazawa do not specifically teach a level one cache memory comprising a level one instruction cache memory and a level one operand cache memory as recited in the claim.

Lynch discloses a level one cache comprising a data cache for storing data as it is passed back and forth from the execution units of the processor and an instruction cache holding instructions prior to execution by the processor's execution units (col. 3, lines 43-48).

It would have been obvious to one of ordinary skill in the art, having the teachings of Pong and Hazawa and Lynch before him at the time the invention was made, to modify the system of Pong and Hazawa to include a level one instruction cache memory and a level one operand cache memory because a level one data cache was well known for storing data as it is passed back and forth from the execution units of the processor and a level one instruction cache was well known for holding instructions prior to execution by the processor's execution units as taught by Lynch.

19. Claims 23-25 are rejected under 35 U.S.C. 103(a) as being unpatentable over Pong et al. (US6,253,291) and Hazawa (US4,891,809) and Lynch et al (US6,061,766) and Lai (US5,564,035).

As per claim 23, the combination of Pong and Hazawa and Lynch discloses the claimed invention as detailed above in the previous paragraphs. However, Pong and Hazawa and Lynch do not specifically teach invalidating a write data element of a level one cache memory in response to a level one cache memory write hit and a level two cache memory hit as recited in the claim.

Lai discloses invalidating a write data element of a level one cache memory in response to a level one cache memory write hit and a level two cache memory hit [*hit in L2 cache and hit in L1 cache, corresponding cache line can be invalidated*; col. 2, lines 41-57] to maintain multiprocessor coherency.

Since the technology for implementing invalidating a corresponding level one cache memory location in response to a level one write hit and a level two write hit was well known and since invalidating a corresponding level one cache memory location in response to a level one write hit and a level two write hit maintains multiprocessor coherency, an artisan would have been motivated to implement invalidating a corresponding level one cache memory location in response to a level one write hit and a level two write hit in the system of Pong. Thus, It would have been obvious to one of ordinary skill in the art, at the time the invention was made, to modify the system of Pong to include invalidating a corresponding level one cache memory location in

response to a level one write hit and a level two write hit because it was well known to maintain multiprocessor coherency as taught by Lai.

As per claim 24, Pong discloses a snooping circuit [*snoop queue 24*; Fig. 2].

As per claim 25, Lynch discloses said write data element is located within said level one operand cache memory [col. 3, lines 43-45].

### ***Conclusion***

20. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Applicant is required under 37 C.F.R. § 1.111 (c) to consider these references fully when responding to this action. The documents cited therein teach invalidating level one cache memory location in response to level one cache write hit and level two cache write hit.

21. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.


22. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Pierre M. Vital whose telephone number is (703) 306-5839. The examiner can normally be reached on Mon-Fri, 8:30 am - 6:00 pm, alternate Friday off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Mano Padmanabhan can be reached on (703) 306-2903. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.



Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

June 12, 2004

  
Pierre M. Vital  
Examiner  
Art Unit 2188